Contents to volume 264

Hypothesis

Photosystem I reaction-centre proteins contain leucine zipper motifs: A proposed role in dimer formation (FEBS 08371) *A.N. Webber, R. Malkin* 1

Research Letters

Proliferation of peroxisomes without simultaneous induction of the peroxisomal fatty acid β-oxidation (FEBS 08368) *E. Baumgart, A. Völkl, J. Pill, H.D. Fahimi* 5

In vitro protein translocation into inverted membrane vesicles prepared from *Vibrio alginolyticus* is stimulated by the electrochemical potential of Na^+ in the presence of *Escherichia coli* SecA (FEBS 08382) *H. Tokuda, Y.J. Kim, S. Mizushima* 10

Substrate specificity of the autocatalytic protein that primes glycogen synthesis (FEBS 08380) *J. Lomako, W.M. Lomako, W.J. Whelan* 13

Coupling site I and the rotenone-sensitive ubisemiquinone in tightly coupled submitochondrial particles (FEBS 08381) *A.B. Kotlyar, V.D. Sled, D.S. Burbaev, I.A. Moroz, A.D. Vinogradov* 17

Phosphorylation and activation of p40 tyrosine kinase by casein kinase-1 (FEBS 08383) *J. Vila, D.M. Payne, T.F. Zioncheck, M.L. Harrison, E. Itarte, M.J. Weber* 21

Modification of a glnB-like gene product by photosynthetic electron transport in the cyanobacterium *Synechococcus* 6301 (FEBS 08384) *M.A. Harrison, J.N. Keen, J.B.C. Findlay, J.F. Allen* 25

Disulfide pairings in geographutoxin I, a peptide neurotoxin from *Conus geographus* (FEBS 08387) *Y. Hidaka, K. Sato, H. Nakamura, J. Kobayashi, Y. Ohizumi, Y. Shimonishi* 29

Evidence that chlorpromazine and prostaglandin E_1 but not neomycin interfere with the inositol phospholipid metabolism in intact human platelets (FEBS 08388) *O.-B. Tysnes, V.M. Steen, K.W. Frølich, H. Holmsen* 33

High concentrations of low density lipoprotein decrease basement membrane-associated heparan sulfate proteoglycan in cultured endothelial cells (FEBS 08385) *B. Olgemöller, E.D. Schleicher, S. Schwaabe, H.-J. Guretzki, K.D. Gerbitz* 37

Phosphorylation of rat liver inorganic pyrophosphatase by ATP in the absence and in the presence of protein kinase (FEBS 08389) *A.V. Vener, I.N. Smirnova, A.A. Baykov* 40

Antibodies to the β-amyloid peptide cross-react with conformational epitopes in human fibrinogen subunits from peripheral blood (FEBS 08391) *R.A. Stern, J.Q. Trojanowski, V.M.-Y. Lee* 43

Chromosomal localization of the mouse genes coding for α2, α3, α4 and β2 subunits of neuronal nicotinic acetylcholine receptor (FEBS 08386) *A. Bessis, D. Simon-Chazottes, A. Devillers-Thiéry, J.-L. Guénet, J.-P. Changeux* 48

Differential regulation of prostatic protein kinase C isozymes by androgens (FEBS 08394) *S.A. Goueli* 53

Time and mode of synthesis of the sexual inducer glycoprotein of *Volvox carteri* (FEBS 08396) *D. Balshüsemann, L. Jaenicke* 56

Development and characterization of polyclonal antibodies against a conserved sequence in the catalytic domain of protein kinases (FEBS 08395) *C.H. Hagedorn, W.H. Tettelbach, H.L. Panella* 59

Palytoxin acidifies chick cardiac cells and activates the Na^+/H^+ antiporter (FEBS 08397) *C. Frelin, P. Vigne, J.-P. Breittmayer* 63

Effects of propeptide deletion on human renin secretion from mouse pituitary AtT-20 cells (FEBS 08399) *M. Nagahama, K. Nakayama, K. Murakami* 67

Expression of retinoic acid receptor genes in neural crest-derived cells during mouse facial development (FEBS 08400) *N. Osumi-Yamashita, S. Noji, T. Nohno, E. Koyama, H. Doi, K. Eto, S. Taniguchi* 71

Nerve growth factor stimulates protein kinase C translocation in PC12 cells (FEBS 08398) *A.D. Kondratyev, O.N. Popova, S.E. Severin, M.A. Choladze, I.I. Shmyrev, I.A. Tubasheva, E.E. Zotova, G.A. Posypanova, E.S. Severin* 75

Severin is a gelsolin prototype (FEBS 08390) *H.L. Yin, P.A. Janmey, M. Schleicher* 78

Expression in *E. coli* of the catalytic domain of rat poly(ADP-ribose)polymerase (FEBS 08392) *J. Thibodeau, F. Simonin, M. Favazza, G. Gradwohl, G. Poirier, G. de Murcia* 81

A distinct thimet peptidase from rat liver mitochondria (FEBS 08393) *U. Tisljar, A.J. Barrett* 84

A novel and sensitive assay for phospholipase D in intact cells (FEBS 08413) *R.W. Randall, R.W. Bonser, N.T. Thompson, L.G. Garland* 87

cDNA cloning and sequencing of component C5 of proteasomes from rat hepatoma cells (FEBS 08415) *T. Tamura, K. Tanaka, A. Kumatori, F. Yamada, C. Tsurumi, T. Fujiwara, A. Ichihara, F. Tokunaga, R. Aruga, S. Iwanaga* 91

Purification and partial characterization of rat liver soluble catechol-*O*-methyltransferase (FEBS 08414) *C. Tilgmann, N. Kalkkinen* 95

The GC-selective ligand mithramycin alters the structure of $(AT)_n$ sequences flanking its binding sites (FEBS 08404) *B.M.G. Cons, K.R. Fox* 100

Analogs of human epidermal growth factor which partially inhibit the growth factor-dependent protein-tyrosine kinase activity of the epidermal growth factor receptor (FEBS 08401) *R.K. Matsunami, S.R. Campion, S.K. Niyogi, A. Stevens* 105

Cloning and sequence analysis of the *Erythrina corallodendron* lectin cDNA (FEBS 08402) *R. Arango, S. Rozenblatt, N. Sharon* 109

Heme methyl hyperfine shift pattern as a probe for determining the orientation of the functionally relevant proximal histidyl imidazole with respect to the heme in hemoproteins (FEBS 08403) *Y. Yamamoto, N. Nanai, R. Chûjô, T. Suzuki* 112

Nucleotide sequence determination of chicken glucagon precursor cDNA: Chicken preproglucagon does not contain glucagon-like peptide II (FEBS 08409) *S. Hasegawa, K. Terazono, K. Nata, T. Takada, H. Yamamoto, H. Okamoto* 117

A nucleotide sequence in the translation start signal region is involved in heat shock-induced translation arrest in *Escherichia coli* (FEBS 08411) *Y. Kuriki* 121

A putative AP-2 binding site in the 5′ flanking region of the mouse POMC gene (FEBS 08408) *J.F. Bishop, M.S. Rinaudo, J.K. Ritter, A.C.-Y. Chang, K. Conant, Donald R. Gehlert* 125

Extracellular ATP activates receptor-operated cation channels in mouse lacrimal acinar cells to promote calcium influx in the absence of phosphoinositide metabolism (FEBS 08412) *T. Sasaki, D.V. Gallacher* 130

Evolutionary specificity of hydrins, new hydroosmotic neuropeptides: occurrence of hydrin 2 (vasotocinyl-Gly) in the toad *Bufo marinus* but not in the viper *Vipera aspis* (FEBS 08405) *G. Michel, Y. Rouillé, M.T. Chauvet, J. Chauvet, R. Acher* 135

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Rate enhancement of the electron transfer of the adrenodoxin-adrenodoxin reductase system by inorganic and nucleotide phosphates (FEBS 08406) *T. Yamano, Y. Nonaka, R. Miura* 138
Replication-linked histone acetylation in rat liver tissue is sensitive to alkylating agents (FEBS 08407) *H. Talasz, G. Weiss, B. Puschendorf* 141
Desferrioxamine as a lipid chain-breaking antioxidant in sickle erythrocyte membranes (FEBS 08416) *A. Hartley, M. Davies, C. Rice-Evans* 145
A 36-kDa mitochondrial protein is responsible for cyanide-resistant respiration in *Hansenula anomala* (FEBS 08417) *N. Minagawa, S. Sakajo, T. Komiyama, A. Yoshimoto* 149
Slow release of chloride from ^{36}Cl-labeled photosystem II membranes (FEBS 08418) *K. Lindberg, T. Wydrzynski, T. Vänngård, L.-E. Andréasson* 153
Organization of rat uricase chromosomal gene differs greatly from that of the corresponding plant gene (FEBS 08419) *K. Motojima, S. Goto* 156

Corrigenda and Errata 159

Notes to Authors 161

Announcements 163

Research Letters

Oxyradical reactions: from bond-dissociation energies to reduction potentials (FEBS 08410) *W.H. Koppenol* 165
The role of phospholipase A_2 in lipid peroxidation-induced fall of membrane potential of rat liver mitochondria (FEBS 08420) *V.G. Gogvadze, N.N. Brustovetsky, A.A. Zhukova* 168
'Antiflammins': Two nonapeptide fragments of uteroglobin and lipocortin I have no phospholipase A_2-inhibitory and anti-inflammatory activity (FEBS 08421) *F. Märki, J. Pfeilschifter, H. Rink, I. Wiesenberg* 171
Domain structure of myosin subfragment-1: Selective denaturation of the 50 kDa segment (FEBS 08422) *D.I. Levitsky, N.V. Khvorov, V.L. Shnyrov, N.S. Vedenkina, E.A. Permyakov, B.F. Poglazov* 176
Microtubule translocation caused by three subspecies of inner-arm dynein from *Chlamydomonas* flagella (FEBS 08424) *O. Kagami, S. Takada, R. Kamiya* 179
Biologically active transcripts of alfalfa mosaic virus RNA3 (FEBS 08425) *J.-M. Dore, C. Erny, L. Pinck* 183
Cyanobacterial microcystin-LR is a potent and specific inhibitor of protein phosphatases 1 and 2A from both mammals and higher plants (FEBS 08427) *C. MacKintosh, K.A. Beattie, S. Klumpp, P. Cohen, G.A. Codd* 187
Molecular cloning of a human thyrotropin receptor cDNA fragment: Use of highly degenerate, inosine containing primers derived from aligned amino acid sequences of a homologous family of glycoprotein hormone receptors (FEBS 08423) *G.C. Huang, M.J. Page, A.J. Roberts, A.N. Malik, H. Spence, A.M. McGregor, J.P. Banga* 193
2D COSY ^1H NMR: a new tool for studying in situ brain metabolism in the living animal (FEBS 08435) *B. Barrère, M. Peres, B. Gillet, S. Mergui, J.-C. Beloeil, J. Seylaz* 198
Deuterons cannot replace protons in active transport processes in yeast (FEBS 08436) *A. Kotyk, M. Dvořáková, J. Koryta* 203
Expression in *Escherichia coli* of a sub-gene encoding the lipoyl domain of the pyruvate dehydrogenase complex of *Bacillus stearothermophilus* (FEBS 08439) *F. Dardel, L.C. Packman, R.N. Perham* 206
Substitution of aspartic acid-217 of *Citrobacter freundii* cephalosporinase and properties of the mutant enzymes (FEBS 08438) *K. Tsukamoto, R. Kikura, R. Ohno, T. Sawai* 211
Molecular weight analysis of isopenicillin N synthase by electrospray mass spectrometry (FEBS 08440) *R.T. Aplin, J.E. Baldwin, Y. Fujishima, C.J. Schofield, B.N. Green, S.A. Jarvis* 215
*Mcr*I: a novel class-II restriction endonuclease from *Micrococcus cryophilus* recognizing 5'-CGRY/CG-3' (FEBS 08429) *Jutta Brensing-Küppers, U. Reischl, G.S. Schmitz, K. Kaluza, M. Jarsch, C. Kessler* 218
Cyclic diguanylic acid behaves as a host molecule for planar intercalators (FEBS 08428) *Y.-C. Liaw, Y.-G. Gao, H. Robinson, G.M. Sheldrick, L.A.J.M. Sliedregt, G.A. van der Marel, J.H. van Boom, A.H.-J. Wang* 223
Novel pathways of oleic and *cis*-vaccenic acid biosynthesis by an enzymatic double-bond shifting reaction in higher plants (FEBS 08432) *A. Shibahara, K. Yamamoto, M. Takeoka, A. Kinoshita, G. Kajimoto, T. Nakayama, M. Noda* 228
Identification of a potent synthetic HIV1 immunogen compromising gag-P24 tandem T- and B-cell epitopes (FEBS 08426) *P. Chong, C. Sia, M. Sydor, M. Klein* 231
Solubilization of soybean membrane binding sites for fungal β-glucans that elicit phytoalexin accumulation (FEBS 08430) *E.G. Cosio, T. Frey, J. Ebel* 235
Amino-terminal sequence of the 21 kDa apoprotein of a minor light-harvesting pigment-protein complex of the Photosystem II antenna (LHC IId/CP24) (FEBS 08431) *D.T. Morishige, S. Anandan, J.T. Jaing, J.P. Thornber* 239
Identification of 17–18 kDa zona pellucida binding proteins from boar spermatozoa (FEBS 08441) *J. Moos, J. Pěknicová, Ts.N. Surneva-Nakova, M. Pavlik* 243
Does the function of adenine nucleotide translocase in fatty acid uncoupling depend on the type of mitochondria? *P. Schönfeld* 246
Effect of gangliosides on binding, internalization and cytotoxic activity of ricin (FEBS 08443) *A.G. Tonevitsky, O.S. Zhukova, N.V. Mirimanova, V.G. Omelyanenko, N.V. Timofeeva, L.D. Bergelson* 249
TRH-extended peptides in the olfactory lobe are formed by incomplete cleavage at pairs of arginine residues in the TRH prohormone (FEBS 08444) *S.M. Cockle* 253
Spectroscopic studies of partially reduced forms of *Wolinella succinogenes* nitrite reductase (FEBS 08445) *R.S. Blackmore, P.M.A. Gadsby, C. Greenwood, A.J. Thomson* 257
Calcyclin is a calcium and zinc binding protein (FEBS 08446) *A. Filipek, C.W. Heizmann, J. Kuźnicki* 263
The cell adhesion molecule Cell-CAM 105 is an ecto-ATPase and a member of the immunoglobulin superfamily (FEBS 08447) *M. Aurivillius, O. Hansen, M.B.S. Lazrek, E. Bock, B. Öbrink* 267
Purification and partial characterization of CD9 antigen of human platelets (FEBS 08450) *M. Higashihara, K. Takahata, Y. Yatomi, K. Nakahara, K. Kurokawa* 270
A single amino acid difference distinguishes the human and the rat sequences of stathmin, a ubiquitous intracellular phosphoprotein associated with cell regulations (FEBS 08448) *A. Maucuer, V. Doye, A. Sobel* 275
cDNA cloning and sequencing of component C9 of proteasomes from rat hepatoma cells (FEBS 08453) *A. Kumatori, K. Tanaka, T. Tamura, T. Fujiwara, A. Ichihara, F. Tokunaga, A. Onikura, S. Iwanaga* 279

Correspondence

Comment: Redox-cycling is a property of PQQ but not of ascorbate (FEBS 08433) *M.A. Paz, R. Flückiger, P.M. Gallop* 283
Reply: The redox-cycling assay and PQQ (FEBS 08434) *R.A. van der Meer, B.W. Groen, J.A. Jongejan, J.A. Duine* 284

Author Index 285

Contents to volume 289

Notes to Authors 291